Letters in Applied Microbiology

Edited by

C.R. Harwood

Volume 36, 2003

Copyright ©2003, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

CODEN LAMIE7 ISSN 0266-8254

Published by
Blackwell Publishing Ltd.
OXFORD EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 36, Issue 1, January 2003

1 Editorial

3 Instructions for authors

9 Role of *Alicyclobacillus acidoterrestris* in the development of a disinfectant taint in shelf-stable fruit juice *N. Jensen & F.B. Whitfield*

15 Inducible β-glucosidase synthesis during germination and outgrowth of *Bacillus subtilis* ATCC 9372 spores *S. Chandrapati & L.P. Woodson*

20 Preliminary investigations into possible resistance to oxytetracycline in *Melissococcus plutonius*, a pathogen of honeybee larvae *R. Waite, S. Jackson & H. Thompson*

25 Induced colistin resistance as an identifying marker for *Aeromonas* phenospecies groups *T. Fosse, C. Giraud-Morin & I. Madinier*

30 Development of a rapid polymerase chain reaction-ELISA assay using polystyrene beads for the detection of *Toxoplasma gondii* DNA *E. Martínez, E. Carmelo, R. Alonso, A. Ortega, J. Piñero, A. del Castillo & B. Valladares*

35 Antimicrobial activity of essential oils isolated from Portuguese endemic species of *Thymus M.L. Faleiro, M.G. Miguel, F. Ladeiro, F. Venâncio, R. Tavares, J.C. Brito, A.C. Figueiredo, J.G. Barroso & L.G. Pedro*

41 Variability in spore germination response by strains of proteolytic *Clostridium botulinum* types A, B and F *F. Alberto, V. Broussolle, D.R. Mason, F. Carlin & M.W. Peck*

46 Augmenting effect of acetic acid for acidification on bactericidal activity of hypochlorite solution *K. Kuroiwa, H. Nakayama, T. Kuwahara, K. Tamagawa, K. Hattori, K. Murakami, H. Korai & Y. Ohnishi*

50 Bacteriophage isolation from human saliva *G. Bachrach, M. Leizerovici-Zigmond, A. Zlotkin, R. Naor & D. Steinberg*

54 *Saccharomyces cerevisiae* biodiversity in spontaneous commercial fermentations of grape musts with 'adequate' and 'inadequate' assimilable-nitrogen content *L. Granchi, D. Ganucci, C. Viti, L. Giovannetti & M. Vincenzini*

59 Characterization of AnRP-mediated negative regulation of the xylanase gene, *cgxA*, from *Chaetomium gracile* in *Aspergillus nidulans U. Rao, M. Kato, T. Kobayashi & N. Tsukagoshi*

64 Ethidium bromide stimulated hyper laccase production from bird's nest fungus *Cyathus bulleri S. Dhawan, R. Lal & R.C. Kuhad*

Volume 36, Issue 2, February 2003

69 Rapid reduction of *Legionella pneumophila* on stainless steel with zeolite coatings containing silver and zinc ions *P. Rusin, K. Bright & C. Gerba*

73 Fate of *Escherichia coli* O157:H7 during the manufacture of Mozzarella cheese *G. Spano, E. Goffredo, L. Beneduce, D. Tarantino, A. Dupuy & S. Massa*

77 Characterization of amplified polymerase chain reaction *glnB* and *nifH* gene fragments of nitrogen-fixing *Burkholderia* species *V.A. Marin, K.R.S. Teixeira & J.I. Baldani*

83 Control of pathogenic *Vibrio* spp. by *Bacillus subtilis* BT23, a possible probiotic treatment for black tiger shrimp *Penaeus monodon B. Vaseeharan & P. Ramasamy*

88 Identification of *Thiothrix unzii* in two distinct ecosystems *R.L. Brigmon, M. Furlong & W.B. Whitman*

92 Levels of male-specific RNA bacteriophage and *Escherichia coli* in molluscan bivalve shellfish from commercial harvesting areas *W.J. Doré, M. Mackie & D.N. Lees*

97 Microemulsions are highly effective anti-biofilm agents *I.S.I. Al-Adham, N.D. Al-Hmoud, E. Khalil, M. Kierans & P.J. Collier*

101 Comparison of sample collection methods for the PCR detection of oral anaerobic pathogens *S.F. Smola, G. Rettenberger, T. Simmet & L. Burysek*

106 Reference isolates for the clonal complexes of *Campylobacter jejuni D.R.A. Wareing, R. Ure, F.M. Colles, F.J. Bolton, A.J. Fox, M.C.J. Maiden & K.E. Dingle*

111 Antifungal activity of the essential oil of *Agastache rugosa* Kuntze and its synergism with ketoconazole *S. Shin & C.-A. Kang*

116 Use of polymerase chain reaction to detect the soft rot pathogen, *Pythium myriotylum*, in infected ginger rhizomes *P.H. Wang, C.Y. Chung, Y.S. Lin & Y. Yeh*

121 Expression of an artificial polypeptide with a repeated tripeptide glutamyl–tryptophanyl–lysine in *Saccharomyces cerevisiae S.Y. Lee, Y.C. Park, H.S. Cho, K.S. Ra, H.S. Baik, S.-Y. Paik, J.W. Yun, H.S. Park & J.W. Choi*

Volume 36, Issue 3, March 2003

129 The novel method for isolating chitinolytic bacteria and its application in screening for hyperchitinase producing mutant of *Alcaligenes xylosoxydans R.J. Vaidya, S.L.A. Macmil, P.R. Vyas & H.S. Chhatpar*

135 Induction of intestinal IgA and IgG antibodies preventing adhesion of verotoxin-producing *Escherichia coli* to Caco-2 cells by oral immunization with liposomes *Tana, S. Watarai, E. Isogai & K. Oguma*

140 Pulsed electric fields cause sublethal injury in *Escherichia coli D. García, N. Gómez, S. Condón, J. Raso & R. Pagán*

145 Digoxigenin-labelled peptide nucleic acid to detect lactobacilli PCR amplicons immobilized on membranes from denaturing gradient gel electrophoresis *J.P. Burton, J.K. McCormick, P.A. Cadieux & G. Reid*

150 A comparison of thiosulphate-citrate-bile salts-sucrose (TCBS) agar and thiosulphate-chloride-iodide (TCI) agar for the isolation of *Vibrio* species from estuarine environments *C. Pfeffer & J.D. Oliver*

152 Detection of *Salmonella* by indicator agar media and PCR as affected by alfalfa seed homogenates and native bacteria *C.-H. Liao & L.M. Shollenberger*

157 Detection of the low-germination-rate resting oospores of *Pythium myriotylum* from soil by PCR *P.H. Wang & C.W. Chang*

162 Antibacterial activity of selected plant essential oils against *Escherichia coli* O157:H7 *S.A. Burt & R.D. Reinders*

168 Growth and reduction of microorganisms in sediments collected from a greywater treatment system *J. Ottosson & T.A. Stenström*

173 Biodegradation of the synthetic pyrethroid cypermethrin in used sheep dip *R.J. Grant & W.B. Betts*

177 Use of CAS-agar plate modified to study the effect of different variables on the siderophore production by *Aspergillus A. Machuca & A.M.F. Milagres*

182 Production of γ-linolenic acid by disrupted mycelia of *Mortierella isabellina M. Xian, J. Nie, Q. Meng, J. Liu, C. Zhou, Y. Kang & K. Zhen*

186 Identification of a novel insertion sequence in *vanB2*-containing *Enterococcus faecium W.G. Lee & W. Kim*

Volume 36, Issue 4, April 2003

191 Enhanced secretion and low temperature stabilization of a hyperthermostable and Ca^{2+}-independent α-amylase of *Geobacillus thermoleovorans* by surfactants *J.L. Uma Maheswar Rao & T. Satyanarayana*

197 Development of a miniaturized four-culture method for the rapid enumeration of four bacterial groups in ground beef *D.H. Kang, M.S. Rhee & M. Costello*

203 Production and partial characterization of a β-amylase by *Xanthophyllomyces dendrorhous A. Díaz, C. Sieiro & T.G. Villa*

208 Prevalence of bacterial faecal pathogens in separated and unseparated stored pig slurry *M. Watabe, J.R. Rao, T.A. Stewart, J. Xu, B.C. Millar, L. Xiao, C.J. Lowery, J.S.G. Dooley & J.E. Moore*

213 An *in vitro* model for investigating intestinal adhesion of potential dairy propionibacteria probiotic strains using cell line C2BBe1 *Y. Huang & M.C. Adams*

217 Evaluation of selective and non-selective enrichment PCR procedures for *Salmonella* detection *S.D. Oliveira, C.R. Rodenbusch, M.C. Cé, S.L.S. Rocha & C.W. Canal*

222 Molecular fingerprinting of *Helicobacter pylori* strains from duodenal ulcer patients *L. Cellini, E. Di Campli, M. Di Candia & L. Marzio*

227 Proteolytic activity of a yeast cell wall lytic *Arthrobacter* species *B.F. Adamitsch, F. Karner & W. Hampel*

230 An improved selective isolation medium for the recovery of *Listeria monocytogenes* from smoked fish *A.A.N. Neamatallah, S.J. Dewar & B. Austin*

234 *sanC* – a novel gene involved in nikkomycin biosynthesis in *Streptomyces ansochromogenes J. Xu, G. Liu & H. Tan*

239 Improvement of *Pseudomonas fluorescens* CHA0 biocontrol activity against root-knot nematode by the addition of ammonium molybdate *M. Hamid, I.A. Siddiqui & S. Shahid Shaukat*

245 Anomalies in species identification of enterococci from veterinary sources using a commercial biochemical identification system *C.R. Hudson, P.J. Fedorka-Cray, M.C. Jackson-Hall & L.M. Hiott*

251 Importance of Gram-positive naphthalene-degrading bacteria in oil-contaminated tropical marine sediments *W.-Q. Zhuang, J.-H. Tay, A.M. Maszenan, L.R. Krumholz & S.T.-L. Tay*

Volume 36, Issue 5, May 2003

259 Fluorescent *Pseudomonas* mainly produce the dihydro-form of pyoverdine at low specific growth rate *P. Jacques, M. Ongena, F. Bernard, R. Fuchs, H. Budzikiewicz & P. Thonart*

263 Use of solid phase microextraction (SPME) for profiling fungal volatile metabolites *H.H. Jeleń*

268 The importance of amino acids as carbon sources for *Micromonospora echinospora* (ATCC 15837) *P.A. Hoskisson, G.P. Sharples & G. Hobbs*

272 Isolation and characterization of an atrazine-degrading bacterium from industrial wastewater in China *B. Cai, Y. Han, B. Liu, Y. Ren & S. Jiang*

277 Antimicrobial resistance of *Campylobacter jejuni* and *Campylobacter coli* isolates from broiler chickens isolated at an Irish poultry processing plant *R. Fallon, N. O'Sullivan, M. Maher & C. Carroll*

282 Physical properties of an extracellular polysaccharide produced by *Bacillus* sp. CP912 *U.J. Yun & H.D. Park*

288 Evidence on inhibition of *Listeria monocytogenes* by divercin V41 action *C. Richard, A. Brillet, M.F. Pilet, H. Prévost & D. Drider*

293 The use of spiral plating and microscopic colony counting for the rapid quantitation of *Mycobacterium paratuberculosis W.L. Smith, K.L. McGarvey & J.S. Cullor*

297 Biomass and porosity profiles in microbial granules used for aerobic wastewater treatment *J.-H. Tay, S.T.-L. Tay, V. Ivanov, S. Pan, H.-L. Jiang & Q.-S. Liu*

302 Effect of volume of culture medium on enhanced citric acid productivity by a mutant culture of *Aspergillus niger* in stirred fermentor *I.U. Haq, S. Ali & J. Iqbal*

307 Spoilage of bottled red wine by acetic acid bacteria *E.J. Bartowsky, D. Xia, R.L. Gibson, G.H. Fleet & P.A. Henschke*

315 Poly-β-hydroxyalkanoates consumption during degradation of 2,4,6-trichlorophenol by *Sphingopyxis chilensis* S37 *F.A. Godoy, M. Bunster, V. Matus, C. Aranda, B. González & M.A. Martínez*

321 Effect of aeration and agitation on the production of mycelial biomass and exopolysaccharides in an enthomopathogenic fungus *Paecilomyces sinclairii S.W. Kim, H.J. Hwang, C.P. Xu, J.W. Choi & J.W. Yun*

327 Probiotics for the skin: a new area of potential application? *A.C. Ouwehand, A. Bâtsman & S. Salminen*

332 Improvement of phage defence in *Lactococcus lactis* by introduction of the plasmid encoded restriction and modification system *Lla* AI *S. Gabs & J. Josephsen*

337 Effect of phenolic compounds on the co-metabolism of citric acid and sugars by *Oenococcus oeni* from wine *N. Rozès, L. Arola & A. Bordons*

342 Corrigendum

Volume 36, Issue 6, June 2003

343 Production of dyestuffs from indole derivatives by naphthalene dioxygenase and toluene dioxygenase *J.Y. Kim, K. Lee, Y. Kim, C.-K. Kim & K. Lee*

349 Isolation and characterization of phorate degrading soil bacteria of environmental and agronomic significance *N. Bano & J. Musarrat*

354 Methane oxidation and its coupled electron-sink reactions in ruminal fluid *H. Kajikawa, C. Valdes, K. Hillman, R.J. Wallace & C. Jamie Newbold*

358 Improving heterologous gene expression in *Aspergillus niger* by introducing multiple copies of protein-binding sequence containing CCAAT to the promoter *L. Liu, J. Liu, R.X. Qiu, X.G. Zhu, Z.Y. Dong & G.M. Tang*

362 Evaluation of biotracers to monitor effluent retention time in constructed wetlands *C.J. Hodgson, J. Perkins & J.C. Labadz*

372 Detection of antibodies to *Staphylococcus aureus* Toxic Shock Syndrome Toxin-1 using a competitive agglutination inhibition assay *V. Javid Khojasteh, M.T. Rogan, V. Edwards-Jones & H.A. Foster*

377 Effect of phenolic monomers on biomass and hydrolytic enzyme activities of an anaerobic fungus isolated from wild nil gai (*Baselophus tragocamelus*) *S.S. Paul, D.N. Kamra, V.R.B. Sastry, N.P. Sahu & A. Kumar*

382 Influence of W-7, a calmodulin antagonist on phospholipid biosynthesis in *Candida albicans N.K. Dhillon, S. Sharma & G.K. Khuller*

387 A bleaching herbicidal activity of methoxyhygromycin (MHM) produced by an actinomycete strain *Streptomyces* sp. 8E-12 *H.B. Lee, C.-J. Kim, J.-S. Kim, K.-S. Hong & K.Y. Cho*

392 The influence of mineral and carbon sources on biological control of charcoal rot fungus, *Macrophomina phaseolina* by fluorescent pseudomonads in tomato *S.S. Shaukat & I.A. Siddiqui*

399 Regulation of branched-chain amino acid biosynthesis by α-acetolactate decarboxylase in *Streptococcus thermophilus C. Monnet, M. Nardi, P. Hols, M. Gulea, G. Corrieu & V. Monnet*

406 Abattoir sources of psychrophilic clostridia causing blown pack spoilage of vacuum-packed chilled meats determined by culture-based and molecular detection procedures - *J.A. Boerema, D.M. Broda & R.G. Bell*

412 A sensitive and rapid method to determine the viability of freeze-dried bacterial cells *N. Parthuisot, P. Catala, P. Lebaron, D. Clermont & C. Bizet*

418 Molecular detection of anthrax spores on animal fibres *K. Levi, J.L. Higham, D. Coates & P.F. Hamlyn*

423 Application of polymerase chain reaction for detection of *Vibrio parahaemolyticus* associated with tropical seafoods and coastal environment *V. Dileep, H.S. Kumar, Y. Kumar, M. Nishibuchi, I. Karunasagar & I. Karunasagar*

428 Indexes